

FIFRA §24(C) REGISTRATION
EPA SLN NO.: ID-060001

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF IDAHO

EPTAM® 7-E Selective Herbicide

EPA Reg. No. 10163-283

**AERIAL APPLICATION ON IRISH POTATOES
FOR ENHANCED CONTROL OF ANNUAL AND PERENNIAL GRASSES, ANNUAL BROADLEAF WEEDS
INCLUDING AND AND CUTLEAF NIGHT SHADE AND LAMBSQUARTER**

Active Ingredients:

S-ethyl dipropylthiocarbamate..... 87.8%

Other Ingredients:..... 12.2%

Total 100.0%

Contains 7 pounds active ingredient per gallon

KEEP OUT OF REACH OF CHILDREN CAUTION

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR PEST CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- Follow all applicable directions, restrictions, and precautions, including statements pertaining to the Worker Protection Standards, on the EPA-registered on the Eptam 7-E label.
- This label must be in the possession of the user at the time of pesticide application.

APPLICATION INSTRUCTIONS

Before using EPTAM 7-E and Matrix as a tank-mix, read both the EPTAM 7-E and Matrix labels carefully. Observe all cautions and limitations noted on the labels of both products.

Apply EPTAM 7-E and Matrix in a tank-mix by air at the rates specified below:

CROP	EPTAM 7E (pts/acre)	MATRIX (oz/acre)
IRISH POTATOES (<i>after</i> potatoes have emerged)	1 - 2	1 - 1 ½
IRISH POTATOES (<i>before</i> potatoes have emerged)	1 - 7	1 - 1 ½

EPTAM 7-E must be incorporated into the soil to prevent loss of the herbicide. Whenever possible, application and incorporation should be done in the same operation.

- When application and incorporation are done in separate operations, EPTAM 7-E must be incorporated the same day as application. Application must be made on a dry soil surface (at least ½ inch deep) free from dew and incidental moisture.
- Surface apply EPTAM 7-E after planting. The soil surface should be dry (at least ½ inch deep) and free from dew and incidental moisture. Incorporate using ½ to ¾ inch of water within 36 hours following application. The application and incorporation must be done within five days after the last tillage operation, since poor results will occur if weeds have germinated.

The use of a Dammer/Diker following EPTAM 7-E application will cause untreated soil to be brought to the surface and may reduce weed control.

For aerial applications:

The boom width must not exceed 75% of the wingspan or 90% of the rotary blade. Apply only when the wind speed is 10 mph or less. Use a coarse or coarser spray for standard nozzles (ASAE definition 572), or a volume median diameter (VMD) of 385 microns or greater for spinning atomizer nozzles. If the application includes a no-spray zone, do not release spray at a height greater than 10 feet above the ground or the crop canopy. When applications are made with a cross-wind, the swath will be displaced downwind. The applicator must compensate for this displacement at the downwind edge of the application area by adjusting the path of the aircraft upwind.

The applicator also must use all other measures necessary to control drift.

USE RESTRICTIONS: Do not exceed 14 pints EPTAM 7-E per acre per crop. Do not apply within 45 days of harvest.

SLN: ID-060001 Eptam 7E Potatoes Aerial Tank Mix